



North American Diagnostics

**NADIAGNOSTICS.COM**

+1 201-357-0230

807 Brazos St, Austin, Texas 78701

HPLC Purity | Mass Content | Mass Identification

## Certificate Of Analysis

|                     |                          |
|---------------------|--------------------------|
| <b>Test ID</b>      | PSP-0028044              |
| <b>Client Name</b>  | PuraLabs   puralabs.shop |
| <b>Date Ordered</b> | June 12th, 2026          |

|                      |                                |                   |                  |
|----------------------|--------------------------------|-------------------|------------------|
| <b>Product</b>       | Tesamorelin                    | <b>Appearance</b> | Lyophilized Puck |
| <b>Mass Reported</b> | 5mg                            | <b>Vial Count</b> | 1x   3mL Vial    |
| <b>Notes</b>         | 1x 3mL vial with mass reported | <b>Batch ID</b>   | PSP-06122026TM   |

Chemical Analysis Performed By HPLC With UV Detection  
Coupled With Mass Spectrometry

|                     |               |
|---------------------|---------------|
| Mass Identification | HPLC Purity   |
| <b>Tesamorelin</b>  | <b>99.94%</b> |

|               |
|---------------|
| Mass Content  |
| <b>4.94mg</b> |

*Mark Brownstein*

Mark Brownstein, Analysis Administration Lead